

6 FAH-4 H-700 GENERAL CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

6 FAH-4 H-701 GENERAL CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

In addition to the daily maintenance management considerations discussed so far, there are six other general considerations that cannot be overlooked:

- Fire and life safety
- Handicapped considerations
- Energy management
- Safety considerations
- Environmental control and abatement
- Security considerations

6 FAH-4 H-702 FIRE AND LIFE SAFETY CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

a. The maintenance manager may be responsible for a continuous fire prevention program. (See A/FBO's *Fire Protection Guide*.)

b. The program should be based on fire protection practices and tailored to post activities.

c. It must include:

- An administrative notice outlining specific actions to be taken by all personnel in the event of a fire or emergency.
- An evacuation plan indicating escape routes for all personnel.
- Written instructions on protection from operational and shop fire hazards for life safety.

6 FAH-4 H-703 HANDICAPPED CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

The FM, when undertaking a major facilities renovation, should coordinate with A/FBO to ensure including handicapped considerations.

6 FAH-4 H-704 ENERGY MANAGEMENT CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

The FM may be responsible for energy resource management at the post, including being knowledgeable on all matters concerning:

- Energy conservation and awareness;
- Use of alternative energy sources; and
- A/FBO has an energy conservation program and a utilities cost reduction program. Contact A/FBO for special requirements.

6 FAH-4 H-705 SAFETY CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

The FM may be required to have a safety plan at the post that is in accordance with the requirements and procedures contained within the regulations of the Department of State.

6 FAH-4 H-706 ENVIRONMENTAL CONTROL AND ABATEMENT

(TL:FCLH-1; 06-16-1997)

General environmental concerns include:

- Potable drinking water
- Boiler water treatment
- Cooling water treatment
- Swimming pool sanitation

- Waste water discharges

6 FAH-4 H-707 SECURITY CONSIDERATIONS

(TL:FCLH-1; 06-16-1997)

Check with the administrative officer and RSO to ascertain security procedures that affect char force, routine service in restricted areas, and maintenance of security-related equipment. (See 6 FAM 769 through 6 FAM 769.4 .)

6 FAH-4 H-708 THROUGH H-799 UNASSIGNED

